

After Newborn Genetic Testing of Baby is Done

State by State Government Newborn Blood & Baby DNA Retention Practices¹

STATE	2002 ⁱ	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013 ⁱⁱ	2014	2015
Alabama	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo
Alaska	3 yrs	3 yrs	3 yrs	3 yrs	3 yrs	3 yrs	3 yrs	3 yrs	3 yrs	3 yrs	3 yrs	3 yrs	3 yrs	3 yrs
Arizona*	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo/ Indefinitely	3 mo/ Indefinitely	3 mo
Arkansas	2 yrs	2 yrs	2 yrs	2 yrs	2 yrs	2 yrs	3-6 mo	3-4 mo	3-4 mo	2 years				
California	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely
Colorado	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	6 mo	6 mo	6 mo				
Connecticut	6 mo	6 mo	6 mo	6 mo	6 mo	6 mo	6 mo	6 mo	6 mo	2 yrs	2 yrs	6 mo	6 mo	2 yrs
Delaware	4 mo	4 mo	4 mo	4 mo	4 mo	4 mo	4 mo	4 mo	4 mo	3 yrs	3 yrs	3 yrs	3 yrs	3 yrs
D.C.	2 yr Minimum	2 yr Minimum	2 yr Minimum	2 yr Minimum	2 yr Minimum	2 yr Minimum	2 yr Minimum	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr
Florida	>5 yrs	>5 yrs	>5 yrs	>5 yrs	>5 yrs	>5 yrs	>5 yrs	Indefinitely	Indefinitely	6 mo	6 mo	6 mo	6 mo	6 mo
Georgia	6 wk	6 wk	6 wk	6 wk	6 wk	6 wk	6 wk	6 wk	6 wk	12 wk/2 yrs	12 wks/ 2yrs	2 mo	2 mo	2 mo
Hawaii	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr
Idaho	Unclear	Unclear	Unclear	Unclear	Unclear	Unclear	Unclear	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr
Illinois	2 mo/4 mo	2 mo/4 mo	2 mo/4 mo	2 mo/4 mo	2 mo/4 mo	2 mo/4 mo	2 mo/4 mo	2 mo/4 mo	2 mo/4 mo	2 mo/4 mo	2 mo/4 mo	2 mo/4 mo	2 mo/4 mo	2 mo/4 mo
Indiana	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs
lowa	1 mo	1 mo	1 mo	5 yrs	5 yrs	5 yrs	5 yrs	Indefinitely	5 yrs	1 yr	1 yr	5 yrs	5 yrs	5 yrs
Kansas	1 mo	1 mo	1 mo	1 mo	1 mo	1 mo	1 mo	1 mo	1 mo	1 mo	1 mo	1 mo	1 mo	1 mo
Kentucky	6 mo	6 mo	6 mo	6 mo	6 mo	6 mo	6 mo	6 mo	6 mo	6-8 wks/ Indefinitely	6-8 wks/ Indefinitely	6 mo	6 mo	2 mo
Louisiana	2wk/1mo	2wk/1mo	2wk/1mo	2wk/1mo	2wk/1mo	2wk/1mo	2wk/1mo	30 Days	30 Days	1 yr	1 yr	1 mo	1 mo	1 mo
Maine	5 yrs	5 yrs	5 yrs	5 yrs	5 yrs	5 yrs	5 yrs	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely
Maryland	6 mo	6 mo	6 mo	6 mo	6 mo	Indefinitely Since 2004	25 yrs	25 yrs	25 yrs					
Massachusetts	Since 1991	Since 1991	Since 1991	Since 1991	Since 1991	Since 1991	Since 1991	Since 1991	Since 1991	22 yrs	22 yrs	21.5 yrs	21.5 yrs	21.5 yrs
Michigan	21.5 yrs	21.5 yrs	21.5 yrs	21.5 yrs	21.5 yrs	21.5 yrs	21.5 yrs	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely

After Newborn Genetic Testing of Baby is Done

State by State Government Newborn Blood and Baby DNA Retention Practices

Minnesota	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	71 Days	71 Days/ Indefinite as of 8/1/14	Indefinitely						
Mississippi	3 mo	2 yr Minimum	2 yr Minimum	2 yr Minimum	1 yr Minimum	1 yr Minimum	1 yr	1 yr	1 yr					
Missouri	6 mo	6 mo	6 mo	5 yrs	5 yrs	5 yrs	5 yrs	5 yrs						
Montana	2 - 6 mo	3 yrs	3 yrs	1 yr/ Indefinitely	1 yr/ Indefinitely	1 yr	1 yr	1 yr						
Nebraska	No Data	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo					
Nevada	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr						
New Hampshire	Indefinitely	6 mo	6 mo	6 mo	6 mo	6 mo	6 mo	6 mo						
New Jersey	25 yrs	25 yrs	25 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs
New Mexico	3 mo	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr						
New York	No Data	27 yrs	27 yrs	27 yrs	27 yrs	27 yrs	27 yrs	27 yrs						
North Carolina	2 yrs	2 yrs	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	5 yrs	5 yrs	5 yrs	5 yrs	5yrs	5 yrs
North Dakota	10 yrs	Indefinitely	5 yrs	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Age 18						
Ohio	21 yrs	2 yrs	2 yrs	2 yrs	2 yrs	2 yrs	2 yrs	2 yrs	2 yrs					
Oklahoma	1 mo	1 mo	1 mo	1 mo	1 mo	42 Days	42 Days	42 Days						
Oregon	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr						
Pennsylvania	3 mo	8 mo	8 mo	8 mo	8 mo	8 mo	8 mo	8 mo						
Rhode Island	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs	23 yrs						
South Carolina*	Indefinitely	Parent Choice	Parent Choice	Parent Choice	Parent Choice	Parent Choice	Parent Choice	2 yrs then Parent Choice	2 yrs then Parent Choice	6 mo	6 mo	1 yr/ "longer"	1yr/ "longer"	1yr/ "longer"
South Dakota	2 mo	1 mo	1 mo	1 mo	1 mo	1 mo	1 mo	1 mo	1 mo					
Tennessee*	3 mo/ Indefinitely	12 mo/ Indefinitely	12 mo/ Indefinitely	12 mo/ Indefinitely	12 mo/ Indefinitely	12 mo/ Indefinitely	12 mo/ Indefinitely	12 mo/ Indefinitely	12 mo/ Indefinitely					
Texas**	3 yrs	6 mo	6 mo	No Data	No Data	No Data	No Data	25 yrs Under Review	25 yrs Under Review	25 yrs	25 yrs	25 yrs	25 yrs	2 yrs/25 yrs
Utah	3 mo	2 yrs	2 yrs	90 Days	90 Days	90 Days	90 Days	90 Days						
Vermont	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely	Indefinitely						
Virginia*	6 mo/10 yrs	6 mo/10 yrs	6 mo	6 mo/10 yrs	6 mo/10 yrs	6 mo/10 yrs	6 mo/10 yrs	6 mo/10 yrs						
Washington	21 yrs	21 yrs	21 yrs	21 yrs	21 yrs	21 yrs	21 yrs	21 yrs						
West Virginia	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo	3 mo						
Wisconsin	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr	1 yr						
Wyoming	No Data	6 mo	6 mo	6 mo	6 mo	6 mo	6 mo	6 mo						

^{*} States that have extended retention for positive results (from 10 yrs to indefinitely) as of 2013.

^{**} In February 2008, the NNSIS showed Texas retention as 6 mo. in 2005, 2006, 2007, and 2008. On March 12, 2009, the Texas Civil Rights Project sued the Texas Department of Health after a newspaper in Austin, Texas reported that the Texas Department of Health has been keeping newborn blood indefinitely for the past six years. On March 20, 2009 there was no retention data from 2005 – 2009.

State by State Government Newborn Blood and Baby DNA Retention Practices

Minnesota's National DNA Repository for Cancer Research - 2005

"The Children's Oncology Group (COG Epidemiology Committee...has established a bank for NBS [newborn blood spots] under the stewardship of Drs. Logan Spector and Julie Ross. Randomly selected, anonymous NBS obtained from United States public health laboratories will be kept at the University of Minnesota Children's Cancer Research Fund Molecular Epidemiology Laboratory. Aliquots of DNA extracted from NBS will be released to researchers after approval by the COG Epidemiology Committee... The number of NBS or portions thereof available to the COG Epi committee will vary by state. For the purposes of banking the minimum acceptable amount is ½ of a full spot... Accompanying data will be requested for each NBS as available. The particular data points are child's sex, child's year of birth, child's birth weight, child's gestational age, parental age of birth of child, parental race or ethnicity, and parental education... There are no benefits to participants. There may be a benefit to general knowledge as research reveals genetic polymorphisms that influence the risk of childhood cancer. Ultimately, NBS may be a screening tool used to predict future cancer risk." – University of Minnesota application to MN Dept. of Health IRB, Received by MDH on 10/12/2005.

CDC Proposes National Databank of DNA - 2002

The Centers for Disease Control and Prevention in Atlanta, Georgia has contemplated creating a databank of the DNA-filled newborn blood spots and using them—seemingly without parent consent—for additional purposes beyond the newborn genetic screening program, specifically genetic and other research:

Newborn screening (NBS) programs collect dried blood spots (DBS) in every state for the approximately 4 million children born each year. Leftover DBSs are available after routine metabolic, endocrine, hematologic and other screening tests so re-testing can be performed, if needed. Over 95% of newborns have leftover DBS retained by state programs for some time period.

These leftover DBS specimens are a unique, valuable population-based source for important public health surveillance and potential epidemiologic research, including population-based data on prevalence of genetic variants, markers of environmental exposure and infectious disease and constitute a specimen bank of a large cohort of state populations...

Assessing the impact of genetic variation on the health of populations will be critical to guide public health research, policy, and practice on using genetic information to prevent disease. In collaboration with state health departments and other partners, we would like to examine the feasibility of establishing a bank of leftover newborn dried blood spot (DBS) specimens and assess the logistical structure for controlled access to a multi-state spot banks or a central spot bank.

The purpose of the banks would be to provide a unique resource for obtaining population-based data on prevalence of gene variants of public health significance, and the association of gene variants with disease and risk factors, including measuring markers of environmental exposure, infectious disease, or risk factors associated with developmental disabilities and chronic disease. [ii [our emphasis]]

¹ 2002–2012 data taken from the National Newborn Screening Information System (http://nnsis.uthscsa.edu/xreports.aspx?XREPORTID=10&FORMID=13&FCLR=1). The 2001-2009 data are final, The 2010-2012 data may have changed Since April 12, 2012 when the data was updated. However, due to the change in online location of the data (NNSIS lost funding and the data reporting website transitioned to NSTAEP), the 2010 – 2012 data cannot be checked for any changes that may have occurred between April 2012 and December 2012.

ⁱⁱ 2013-2015 data taken from The Newborn Screening Technical Assistance and Evaluation Program (https://data.newsteps.org/newsteps-web/stateProfile/input.action) Last updated November 3, 2015.

iii "Banking Newborn Blood Spots for Public Health," a workshop convened by the CDC. 9/23-24/2002 in Atlanta, GA. http://www.cdc.gov/genomics/training/conference/Spotbank.htm